Ladders

Household ladders



CAGSAN

Household ladder BERGAMA - 2+1
Code: 203560



CAGSAN

Household ladder BERGAMA - 3+1
Code: 203561



CAGSAN

Household ladder BERGAMA - 4+1
Code: 203562



CAGSAN

Household ladder BERGAMA - 5+1
Code: 203563



CAGSAN

Household ladder BERGAMA - 6+1
Code: 203564

Specifications — BERGAMA

Model			*		
Household ladder BERGAMA - 2+1	2+1	0,60 m	2,6 m	3,4 kg	43x128x12 cm
Household ladder BERGAMA - 3+1	3+1	0,82 m	2,8 m	4,0 kg	45x152x12 cm
Household ladder BERGAMA - 4+1	4+1	1,04 m	3,0 m	4,8 kg	47x175x12 cm
Household ladder BERGAMA - 5+1	5+1	1,26 m	3,2 m	5,4 kg	49x199x12 cm
Household ladder BERGAMA - 6+1	6+1	1,48 m	3,4 m	6,2 kg	51x223x12 cm

Steps — Platform height — Working height*

Weight — Packed size (W×L×H)

Max. load: 150 kg

* The average safe height reached together with the user.



CAGSAN

Professional household ladder HAZAR - 2+1
Code: 203550



CAGSAN

Professional household ladder HAZAR - 3+1
Code: 203551



CAGSAN

Professional household ladder HAZAR - 4+1
Code: 203552



CAGSAN

Professional household ladder HAZAR - 5+1
Code: 203553



CAGSAN

Professional household ladder HAZAR - 6+1
Code: 203554

Specifications — HAZAR

Model			*		
Professional household ladder HAZAR - 2+1	2+1	0,67 m	2,6 m	4,4 kg	46,9x138x16,2 cm
Professional household ladder HAZAR - 3+1	3+1	0,93 m	2,9 m	5,2 kg	49,2x166x16,2 cm
Professional household ladder HAZAR - 4+1	4+1	1,19 m	3,1 m	6,2 kg	50,9x194x16,2 cm
Professional household ladder HAZAR - 5+1	5+1	1,45 m	3,4 m	7,0 kg	53,6x221x16,2 cm
Professional household ladder HAZAR - 6+1	6+1	1,71 m	3,7 m	8,0 kg	55,6x249x16,2 cm

Steps | Platform height | Working height* | Weight | Packed size (W×L×H)

Max. load: 150 kg

* The average safe height reached together with the user.

Professional stepladders



CAGSAN

Step stool JURA - 3+3
Code: 203608



CAGSAN

Step stool JURA - 4+4
Code: 203609

Specifications — JURA

Model		Total height	Top step height	Working height*		
Step stool JURA - 3+3	3+3	0,87 m	0,75 m	2,7 m	8,5 kg	49,1x87,5x28,8 cm
Step stool JURA - 4+4	4+4	1,14 m	1,00 m	3,0 m	10 kg	52,5x114,1x28,8 cm

Steps | Weight | Packed size (W×L×H)

Max. load: 150 kg

* The average safe height reached together with the user.



CAGSAN

Step ladder EVEREST - 5+5
Code: 203613



CAGSAN

Step ladder EVEREST - 6+6
Code: 203614



CAGSAN

Step ladder EVEREST - 7+7
Code: 203615



CAGSAN

Step ladder EVEREST - 8+8
Code: 203616

Specifications — EVEREST

Model		Total height	Top step height	Working height*		
Step ladder EVEREST - 5+5	5+5	1,37 m	1,25 m	2,5 m	7,0 kg	46,1x137x18,7 cm
Step ladder EVEREST - 6+6	6+6	1,64 m	1,50 m	2,7 m	8,5 kg	48,7x164x18,7 cm
Step ladder EVEREST - 7+7	7+7	1,91 m	1,75 m	3,0 m	10,5 kg	51,3x191x18,7 cm
Step ladder EVEREST - 8+8	8+8	2,18 m	2,00 m	3,2 m	12,0 kg	53,9x218x18,7 cm

Steps Weight Packed size (W×L×H)

Max. load: 150 kg

* The average safe height reached together with the user.



CAGSAN

Professional ladder with platform ALESTA - 4+1
Code: 203605



CAGSAN

Professional ladder with platform ALESTA - 5+1
Code: 203627



CAGSAN

Professional ladder with platform ALESTA - 6+1
Code: 203606



CAGSAN

Professional ladder with platform ALESTA - 7+1
Code: 203628



CAGSAN

Professional ladder with platform ALESTA - 8+1
Code: 203607

Specifications — ALESTA

Model			*		
Professional ladder with platform ALESTA - 4+1	4+1	1,25 m	3,2 m	11,5 kg	56x220x22 cm
Professional ladder with platform ALESTA - 5+1	5+1	1,50 m	3,4 m	13,5 kg	59x247x22 cm
Professional ladder with platform ALESTA - 6+1	6+1	1,75 m	3,7 m	15,0 kg	61x274x22 cm
Professional ladder with platform ALESTA - 7+1	7+1	2,00 m	3,9 m	16,5 kg	64x301x22 cm
Professional ladder with platform ALESTA - 8+1	8+1	2,25 m	4,2 m	18,0 kg	67x328x22 cm

Steps | Platform height | Working height*

Weight | Packed size (W×L×H)

Max. load: 150 kg

* The average safe height reached together with the user.

Double-sided ladders



CAGSAN

Doubleside ladder OLIMPOS - 2 steps
Code: 203555



CAGSAN

Doubleside ladder OLIMPOS - 3 steps
Code: 203556



CAGSAN

Doubleside ladder OLIMPOS - 4 steps
Code: 203557



CAGSAN

Doubleside ladder OLIMPOS - 5 steps
Code: 203558



CAGSAN

Doubleside ladder OLIMPOS - 6 steps
Code: 203559



CAGSAN

Doubleside ladder OLIMPOS - 7 steps
Code: 203578

Specifications — OLIMPOS

Model				
Doubleside ladder OLIMPOS - 2 steps	2	0,39 m	2,1 kg	38,6x44,2x17,1 cm
Doubleside ladder OLIMPOS - 3 steps	3	0,60 m	2,9 kg	41,2x67,1x17,1 cm
Doubleside ladder OLIMPOS - 4 steps	4	0,82 m	4,3 kg	43,7x87,8x17,1 cm
Doubleside ladder OLIMPOS - 5 steps	5	1,05 m	5,1 kg	46,2x114,0x17,1 cm
Doubleside ladder OLIMPOS - 6 steps	6	1,26 m	6,2 kg	48,6x137,0x17,1 cm
Doubleside ladder OLIMPOS - 7 steps	7	1,48 m	7,2 kg	51,0x160,4x17,1 cm

Steps | Top step height | Weight

Packed size (W×L×H)

Max. load: 150 kg

Single-section ladders



CAGSAN

1-Section Ladder MONO 1x6
Code: 203540



CAGSAN

1-Section Ladder MONO 1x8
Code: 203541



CAGSAN

1-Section Ladder MONO 1x10
Code: 203542



CAGSAN

1-Section Ladder MONO 1x12
Code: 203543



CAGSAN

1-Section Ladder MONO 1x14
Code: 203544

Specifications — MONO

Model			*		
1-Section Ladder MONO 1x6	6	1,88 m	2,7 m	3,2 kg	41x188x6,3 cm
1-Section Ladder MONO 1x8	8	2,44 m	3,2 m	4,2 kg	41x244x6,3 cm
1-Section Ladder MONO 1x10	10	2,97 m	3,7 m	6,2 kg	41x297x7,5 cm
1-Section Ladder MONO 1x12	12	3,55 m	4,3 m	8,2 kg	41x355x7,5 cm
1-Section Ladder MONO 1x14	14	4,10 m	4,8 m	9,2 kg	41x410x7,5 cm

Rungs | Length | Working height*

Weight | Packed size (W×L×H)

Max. load: 150 kg

* The average safe height reached together with the user.



CAGSAN

Garden ladder GARDE 1x10
Code: 203588



CAGSAN

Garden ladder GARDE 1x12
Code: 203589



CAGSAN

Garden ladder GARDE 1x14
Code: 203590

Specifications — GARDE

Model		Length	Working height*		
Garden ladder GARDE 1x10	1x10	3,02 m	3,9 m	12 kg	107,8x302x15,3 cm
Garden ladder GARDE 1x12	1x12	3,59 m	4,4 m	14 kg	107,8x359x15,3 cm
Garden ladder GARDE 1x14	1x14	4,14 m	4,9 m	16 kg	107,8x414x15,3 cm

Rungs Weight Packed size (W×L×H)

Max. load: 150 kg

* The average safe height reached together with the user.

Two-section ladders



CAGSAN

2-Section Ladder DUOCOMBI 2x6
Code: 203573



CAGSAN

2-Section Ladder DUOCOMBI 2x8
Code: 203545



CAGSAN

2-Section Ladder DUOCOMBI 2x10
Code: 203574



CAGSAN

2-Section Ladder DUOCOMBI 2x12
Code: 203575



CAGSAN

2-Section Ladder DUOCOMBI 2x14
Code: 203579

Specifications — DUOCOMBI

Model				*		*		
2-Section Ladder DUOCOMBI 2x6	2x6	1,88 m	1,77 m	3,0 m	3,00 m	3,8 m	10,6 kg	41x188x16,8 cm
2-Section Ladder DUOCOMBI 2x8	2x8	2,44 m	2,30 m	3,5 m	4,12 m	4,8 m	12,6 kg	41x244x16,8 cm
2-Section Ladder DUOCOMBI 2x10	2x10	2,98 m	2,80 m	4,0 m	4,94 m	5,6 m	14,6 kg	41x298x16,8 cm
2-Section Ladder DUOCOMBI 2x12	2x12	3,55 m	3,35 m	4,6 m	6,07 m	6,7 m	17,8 kg	41x355x16,8 cm
2-Section Ladder DUOCOMBI 2x14	2x14	4,10 m	3,86 m	5,1 m	7,18 m	7,5 m	18,4 kg	41x410x16,8 cm

Rungs | Closed length | Height as A-frame
Working height as A-frame* | Extended length | Working height extended*
Weight | Packed size (W×L×H)

Max. load: 150 kg

* The average safe height reached together with the user.



CAGSAN

2-Section Ladder SMART LEVEL 2x8
Code: 203580



CAGSAN

2-Section Ladder SMART LEVEL 2x10
Code: 203565



CAGSAN

2-Section Ladder SMART LEVEL 2x12
Code: 203581

Specifications — SMART LEVEL

Model		Closed length	Extended length	Working height extended*		
2-Section Ladder SMART LEVEL 2x8	2x8	2,45 m	3,85 m	4,6 m	15,4 kg	43x245x13,9 cm
2-Section Ladder SMART LEVEL 2x10	2x10	3,01 m	4,97 m	5,6 m	17,6 kg	43x301x13,9 cm
2-Section Ladder SMART LEVEL 2x12	2x12	3,57 m	6,09 m	6,7 m	19,8 kg	43x357x13,9 cm

Rungs | Weight | Packed size (W×L×H)

Max. load: 150 kg

* The average safe height reached together with the user.

Three-section ladders



CAGSAN

3-Section Ladder TRIOCOMBI 3x6
Code: 203576



CAGSAN

3-Section Ladder TRIOCOMBI 3x8
Code: 203546



CAGSAN

3-Section Ladder TRIOCOMBI 3x10
Code: 203547



CAGSAN

3-Section Ladder TRIOCOMBI 3x12
Code: 203548



CAGSAN

3-Section Ladder TRIOCOMBI 3x14
Code: 203549

Specifications — TRIOCOMBI

Model					*		*			*		
3-Section Ladder TRIOCOMBI 3x6	3x6	1,88 m	1,77 m	3,0 m	2,83 m	3,5 m	4,11 m	4,8 m	12,2 kg	48x188x18,2 cm
3-Section Ladder TRIOCOMBI 3x8	3x8	2,44 m	2,31 m	3,5 m	3,92 m	4,6 m	5,79 m	6,4 m	17,8 kg	48x244x20,3 cm
3-Section Ladder TRIOCOMBI 3x10	3x10	2,98 m	2,82 m	4,0 m	4,70 m	5,4 m	6,89 m	7,5 m	21,0 kg	48x298x20,3 cm
3-Section Ladder TRIOCOMBI 3x12	3x12	3,55 m	3,36 m	4,6 m	5,76 m	6,4 m	8,58 m	9,1 m	24,2 kg	48x355x20,3 cm
3-Section Ladder TRIOCOMBI 3x14	3x14	4,12 m	3,87 m	5,1 m	6,54 m	7,2 m	9,71 m	10,1 m	36,4 kg	48x411x25,1 cm

- Rungs
- Closed length
- Height as A-frame
- Working height as A-frame*
- Height as A-frame with extension
- Working height as A-frame with extension*
- Extended length
- Working height extended*
- Weight
- Packed size (W×L×H)

Max. load: 150 kg

* The average safe height reached together with the user.



CAGSAN

3-Section Ladder SMART LEVEL 3x8
Code: 203582



CAGSAN

3-Section Ladder SMART LEVEL 3x10
Code: 203566



CAGSAN

3-Section Ladder SMART LEVEL 3x12
Code: 203583

Specifications — SMART LEVEL


Model		Closed length		Working height exten-ded*		
3-Section Ladder SMART LEVEL 3x8	3x8	2,45 m	5,25 m	5,9 m	23,8 kg	50,3x245x19,5 cm
3-Section Ladder SMART LEVEL 3x10	3x10	3,01 m	6,93 m	7,5 m	25,0 kg	50,3x301x19,5 cm
3-Section Ladder SMART LEVEL 3x12	3x12	3,57 m	8,61 m	9,0 m	28,4 kg	50,3x357x19,5 cm

Rungs | Extended length | Weight | Packed size (W×L×H)

Max. load: 150 kg

* The average safe height reached together with the user.

Fiberglass ladders



CAGSAN

Doubleside fiberglass ladder FIBERO - 4+4
Code: 203617



CAGSAN

Doubleside fiberglass ladder FIBERO - 6+6
Code: 203618



CAGSAN

Doubleside fiberglass ladder FIBERO - 8+8
Code: 203619



CAGSAN

Doubleside fiberglass ladder FIBERO - 10+10
Code: 203620

Specifications — FIBERO

Model		Total height	Working height*		
Doubleside fiberglass ladder FIBERO - 4+4	4+4	1,10 m	2,2 m	8,4 kg	43,5x110x18,7 cm
Doubleside fiberglass ladder FIBERO - 6+6	6+6	1,64 m	2,7 m	12,6 kg	48,7x164x18,7 cm
Doubleside fiberglass ladder FIBERO - 8+8	8+8	2,18 m	3,2 m	16,8 kg	53,9x218x18,7 cm
Doubleside fiberglass ladder FIBERO - 10+10	10+10	2,72 m	3,7 m	20,6 kg	59,2x272x18,7 cm

Steps | Weight | Packed size (W×L×H)

Max. load: 150 kg

* The average safe height reached together with the user.



CAGSAN

2-Section fiberglass ladder FIBERO V2 2x8
Code: 203572



CAGSAN

2-Section fiberglass ladder FIBERO V2 2x10
Code: 203621



CAGSAN

2-Section fiberglass ladder FIBERO V2 2x12
Code: 203622



CAGSAN

2-Section fiberglass ladder FIBERO V2 2x14
Code: 203623

Specifications — FIBERO V2

Model			*		*		
2-Section fiberglass ladder FIBERO V2 2x8	2x8	2,40 m	3,0 m	4,05 m	4,8 m	14,8 kg	41x242x14 cm
2-Section fiberglass ladder FIBERO V2 2x10	2x10	3,00 m	3,6 m	4,92 m	5,8 m	17,7 kg	41x302x14 cm
2-Section fiberglass ladder FIBERO V2 2x12	2x12	3,50 m	4,1 m	6,30 m	6,8 m	27,0 kg	41x352x20 cm
2-Section fiberglass ladder FIBERO V2 2x14	2x14	4,10 m	4,7 m	7,15 m	7,6 m	30,0 kg	41x412x20 cm

Rungs
Closed length
Working height as A-frame*
Extended length
Working height extended*
Weight
Packed size (W×L×H)

Max. load: 150 kg

* The average safe height reached together with the user.



CAGSAN

3-Section fiberglass ladder FIBERO V3 3x8
Code: 203567



CAGSAN

3-Section fiberglass ladder FIBERO V3 3x10
Code: 203624



CAGSAN

3-Section fiberglass ladder FIBERO V3 3x12
Code: 203625



CAGSAN

3-Section fiberglass ladder FIBERO V3 3x14
Code: 203626

Specifications — FIBERO V3

Model			*		*		*		
3-Section fiberglass ladder FIBERO V3 3x8	3x8	2,40 m	3,0 m	3,90 m	4,4 m	5,75 m	5,9 m	20,7 kg	41x242x14 cm
3-Section fiberglass ladder FIBERO V3 3x10	3x10	3,00 m	3,6 m	4,67 m	5,2 m	7,45 m	7,6 m	32,0 kg	41x302x14 cm
3-Section fiberglass ladder FIBERO V3 3x12	3x12	3,50 m	4,1 m	5,73 m	6,2 m	8,30 m	8,5 m	38,0 kg	41x352x20 cm
3-Section fiberglass ladder FIBERO V3 3x14	3x14	4,10 m	4,7 m	6,51 m	7,0 m	10,25 m	10,4 m	43,0 kg	41x412x20 cm

Rungs
Closed length
Working height as A-frame*
Height as A-frame with extension
Working height as A-frame with extension*
Extended length
Working height extended*
Weight
Packed size (W×L×H)

Max. load: 150 kg

* The average safe height reached together with the user.

Joint ladders



CAGSAN

Multipurpose folding ladder TOROS 4x3
Code: 203584



CAGSAN

Multipurpose folding ladder TOROS 4x4
Code: 203568



CAGSAN

Multipurpose folding ladder TOROS 4x5
Code: 203585

Specifications — TOROS

Model		Extended length	Working height extended*	Height as A-frame	Working height as A-frame*		
Multipurpose folding ladder TOROS 4x3	4x3	3,05 m	3,8 m	1,48 m	2,8 m	9,6 kg	66x101x21 cm
Multipurpose folding ladder TOROS 4x4	4x4	4,16 m	4,9 m	2,00 m	3,3 m	11,8 kg	66x129x21 cm
Multipurpose folding ladder TOROS 4x5	4x5	5,28 m	6,0 m	2,54 m	3,8 m	14,0 kg	66x157x21 cm

Rungs
Weight
Packed size (W×L×H)

Max. load: 150 kg

* The average safe height reached together with the user.



CAGSAN

Multipurpose ladder QUADRO 4x3
Code: 203569



CAGSAN

Multipurpose ladder QUADRO 4x4
Code: 203587

Specifications — QUADRO

Model		Platform height	Height as A-frame	Working height as A-frame*	Extended length	Working height ext.*	Closed length		
Multipurpose ladder QUADRO 4x3	4x3	0,93 m	1,70 m	3,0 m	3,50 m	4,3 m	0,95 m	13,6 kg	35,1x95,7x26 cm
Multipurpose ladder QUADRO 4x4	4x4	1,21 m	2,23 m	3,5 m	4,61 m	5,3 m	1,23 m	15,5 kg	35,1x123,7x26 cm

Rungs | Weight | Packed size (W×L×H)

Max. load: 150 kg

* The average safe height reached together with the user.

Ladder accessories



CAGSAN

Ladder platform
Code: 203571



CAGSAN

Ladder handrail set 139 cm
Code: 203629



CAGSAN

Ladder handrail set 193 cm
Code: 203630



CAGSAN

Ladder handrail set 250 cm
Code: 203631



CAGSAN

Ladder clamp CRUZ
Code: 203632

Scaffolding




CAGSAN

TeleSafe XL - 2x8
Max. Working Height: 4,7m



CAGSAN

TeleSafe XL - 2x11
Max. Working Height: 6,4m



CAGSAN

TeleSafe XL - 2x15
Max. Working Height: 8,0m

Specifications — TeleSafe XL

Model					*				
TeleSafe XL - 2x8	2x8	2,51 m	3,91 m	2,74 m	4,7 m	82 kg	120-196x224 cm	75x225x38 cm	39x122x46 cm
TeleSafe XL - 2x11	2x11	3,34 m	5,58 m	4,41 m	6,4 m	95 kg	120-196x224 cm	75x310x38 cm	39x122x46 cm
TeleSafe XL - 2x15	2x15	4,42 m	7,22 m	6,05 m	8,0 m	122 kg	140-216x229 cm	75x415x45 cm	39x154x46 cm

Rungs · Closed height · Max. height
Platform height · Working height* · Weight
Base with outriggers · Platform (W×L×H) · Base frame (W×L×H)

Max. load: 2 kN/m²

* The average safe height reached together with the user.



CAGSAN

ProTube F90
Max. Working Height: 2,9m



CAGSAN

ProTube F180
Max. Working Height: 3,8m



CAGSAN

ProTube F360
Max. Working Height: 5,6m

Specifications — ProTube F

Model			*			
ProTube F90	1,96 m	0,96 m	2,9 m	196x73 cm	-	37 kg
ProTube F180	3,06 m	1,86 m	3,8 m	196x73 cm	-	62 kg
ProTube F360	4,87 m	3,66 m	5,6 m	196x73 cm	444x321 cm	99 kg

Total height · Platform height · Working height*
Platform size · Base with outriggers · Weight

Max. load: 2 kN/m²

* The average safe height reached together with the user.



CAGSAN

ProTube S4
Max. Working Height: 4,3m



CAGSAN

ProTube S6
Max. Working Height: 6,4m



CAGSAN

ProTube S8
Max. Working Height: 8,5m



CAGSAN

ProTube S10
Max. Working Height: 10,6m

Specifications — ProTube S

Model			*			
ProTube S4	3,51 m	2,30 m	4,3 m	255x73 cm	-	95 kg
ProTube S6	5,61 m	4,40 m	6,4 m	255x73 cm	518x336 cm	133 kg
ProTube S8	7,72 m	6,51 m	8,5 m	255x73 cm	518x336 cm	176 kg
ProTube S10	9,83 m	8,62 m	10,6 m	255x73 cm	518x336 cm	198 kg

Total height | Platform height | Working height*

Platform size | Base with outriggers | Weight

Max. load: 2 kN/m²

* The average safe height reached together with the user.




CAGSAN

ProTube L4
Max. Working Height: 4,3m



CAGSAN

ProTube L6
Max. Working Height: 6,4m



CAGSAN

ProTube L8
Max. Working Height: 8,5m



CAGSAN

ProTube L10
Max. Working Height: 10,0m



CAGSAN

ProTube L12
Max. Working Height: 12,7m



CAGSAN

ProTube L14
Max. Working Height: 14,2m

Specifications — ProTube L

Model			*			
ProTube L4	3,51 m	2,30 m	4,3 m	255x135 cm	-	124 kg
ProTube L6	5,61 m	4,40 m	6,4 m	255x135 cm	518x398 cm	169 kg
ProTube L8	7,72 m	6,51 m	8,5 m	255x135 cm	518x398 cm	238 kg
ProTube L10	9,23 m	8,02 m	10,0 m	255x135 cm	518x398 cm	261 kg
ProTube L12	11,93 m	10,72 m	12,7 m	255x135 cm	518x398 cm	336 kg
ProTube L14	13,44 m	12,23 m	14,2 m	255x135 cm	518x398 cm	359 kg

Total height | Platform height | Working height*

Platform size | Base with outriggers | Weight

Max. load: 2 kN/m²

* The average safe height reached together with the user.



CAGSAN

ProTube SN230
Max. Working Height: 4,3m



CAGSAN

ProTube SN320
Max. Working Height: 5,2m



CAGSAN

ProTube SN440
Max. Working Height: 6,4m



CAGSAN

ProTube SN530
Max. Working Height: 7,3m




CAGSAN

ProTube SN650
Max. Working Height: 8,5m




CAGSAN

ProTube SN740
Max. Working Height: 9,4m




CAGSAN

ProTube SN860
Max. Working Height: 10,6m




CAGSAN

ProTube SN950
Max. Working Height: 11,5m



CAGSAN

ProTube SN1070
Max. Working Height: 12,7m



CAGSAN

ProTube SN1160
Max. Working Height: 13,6m

Specifications — ProTube SN


Model			*			
ProTube SN230	3,73 m	2,3 m	4,3 m	196x73 cm	459x336 cm	116 kg
ProTube SN320	4,64 m	3,2 m	5,2 m	196x73 cm	459x336 cm	120 kg
ProTube SN440	5,84 m	4,4 m	6,4 m	196x73 cm	459x336 cm	159 kg
ProTube SN530	6,74 m	5,3 m	7,3 m	196x73 cm	459x336 cm	164 kg
ProTube SN650	7,94 m	6,5 m	8,5 m	196x73 cm	459x336 cm	202 kg
ProTube SN740	8,85 m	7,4 m	9,4 m	196x73 cm	459x336 cm	207 kg
ProTube SN860	10,05 m	8,6 m	10,6 m	196x73 cm	459x336 cm	246 kg
ProTube SN950	10,96 m	9,5 m	11,5 m	196x73 cm	459x336 cm	250 kg
ProTube SN1070	12,16 m	10,7 m	12,7 m	196x73 cm	459x336 cm	288 kg
ProTube SN1160	13,06 m	11,6 m	13,6 m	196x73 cm	459x336 cm	293 kg

Total height | Platform height | Working height*

Platform size | Base with outriggers | Weight

Max. load: 2 kN/m²

* The average safe height reached together with the user.



CAGSAN

ProTube LN230
Max. Working Height: 4,3m



CAGSAN

ProTube LN320
Max. Working Height: 5,2m



CAGSAN

ProTube LN440
Max. Working Height: 6,4m



CAGSAN

ProTube LN530
Max. Working Height: 7,3m



CAGSAN

ProTube LN650
Max. Working Height: 8,5m




CAGSAN

ProTube LN740
Max. Working Height: 9,4m




CAGSAN

ProTube LN860
Max. Working Height: 10,6m




CAGSAN

ProTube LN950
Max. Working Height: 11,5m



CAGSAN

ProTube LN1070
Max. Working Height: 12,7m



CAGSAN

ProTube LN1160
Max. Working Height: 13,6m

Specifications — ProTube LN

Model			*			
ProTube LN230	3,73 m	2,3 m	4,3 m	196x135 cm	459x398 cm	144 kg
ProTube LN320	4,64 m	3,2 m	5,2 m	196x135 cm	459x398 cm	151 kg
ProTube LN440	5,84 m	4,4 m	6,4 m	196x135 cm	459x398 cm	193 kg
ProTube LN530	6,74 m	5,3 m	7,3 m	196x135 cm	459x398 cm	201 kg
ProTube LN650	7,94 m	6,5 m	8,5 m	196x135 cm	459x398 cm	243 kg
ProTube LN740	8,85 m	7,4 m	9,4 m	196x135 cm	459x398 cm	250 kg
ProTube LN860	10,05 m	8,6 m	10,6 m	196x135 cm	459x398 cm	292 kg
ProTube LN950	10,96 m	9,5 m	11,5 m	196x135 cm	459x398 cm	300 kg
ProTube LN1070	12,16 m	10,7 m	12,7 m	196x135 cm	459x398 cm	342 kg
ProTube LN1160	13,06 m	11,6 m	13,6 m	196x135 cm	459x398 cm	349 kg

Total height | Platform height | Working height*
Platform size | Base with outriggers | Weight

Max. load: 2 kN/m²

* The average safe height reached together with the user.

Platforms



CAGSAN

Industrial ladder with platform KEYPRO - 3+1
Code: 203533



CAGSAN

Industrial ladder with platform KEYPRO - 4+1
Code: 203534



CAGSAN

Industrial ladder with platform KEYPRO - 5+1
Code: 203536



CAGSAN

Industrial ladder with platform KEYPRO - 6+1
Code: 203537



CAGSAN

Industrial ladder with platform KEYPRO - 7+1
Code: 203538



CAGSAN

Industrial ladder with platform KEYPRO - 8+1
Code: 203539



CAGSAN

Industrial ladder with platform KEYPRO - 9+1
Code: 203529



CAGSAN

Industrial ladder with platform KEYPRO - 10+1
Code: 203637



CAGSAN

Industrial ladder with platform KEYPRO - 11+1
Code: 203530

Specifications — KEYPRO

Model			*		
Industrial ladder with platform KEYPRO - 3+1	3+1	1,00 m	3,0 m	25,0 kg	78,2x239,9x37,9 cm
Industrial ladder with platform KEYPRO - 4+1	4+1	1,25 m	3,2 m	26,6 kg	78,2x266,9x37,9 cm
Industrial ladder with platform KEYPRO - 5+1	5+1	1,50 m	3,5 m	28,2 kg	78,2x293,8x37,9 cm
Industrial ladder with platform KEYPRO - 6+1	6+1	1,75 m	3,7 m	29,8 kg	78,2x320,8x37,9 cm
Industrial ladder with platform KEYPRO - 7+1	7+1	2,00 m	4,0 m	31,4 kg	78,2x347,8x37,9 cm
Industrial ladder with platform KEYPRO - 8+1	8+1	2,25 m	4,2 m	33,0 kg	78,2x374,7x37,9 cm
Industrial ladder with platform KEYPRO - 9+1	9+1	2,50 m	4,5 m	34,6 kg	78,2x401,7x37,9 cm
Industrial ladder with platform KEYPRO - 10+1	10+1	2,75 m	4,7 m	36,2 kg	78,2x428,7x37,9 cm
Industrial ladder with platform KEYPRO - 11+1	11+1	3,00 m	5,0 m	37,8 kg	78,2x455,6x37,9 cm

Steps — Platform height — Working height*

Weight — Packed size (W×L×H)

Max. load: 150 kg

* The average safe height reached together with the user.



CAGSAN

Industrial platform VISTA - 5+1
Code: 203591



CAGSAN

Industrial platform VISTA - 7+1
Code: 203528



CAGSAN

Industrial platform VISTA - 9+1
Code: 203535

Specifications — VISTA

Model				*		
Industrial platform VISTA - 5+1	5+1	2,5 m	1,5 m	3,5 m	47,0 kg	100x230x34 cm
Industrial platform VISTA - 7+1	7+1	3,0 m	2,0 m	4,0 m	56,6 kg	100x285x34 cm
Industrial platform VISTA - 9+1	9+1	3,5 m	2,5 m	4,5 m	62,2 kg	100x333x34 cm

Steps | Total height | Platform height | Working height* | Weight | Size (W×L×H)

Max. load: 150 kg

* The average safe height reached together with the user.



CAGSAN

Industrial platform SPRINGO - 3+1
Code: 203604



CAGSAN

Industrial platform SPRINGO - 4+1
Code: 203595



CAGSAN

Industrial platform SPRINGO - 5+1
Code: 203531



CAGSAN

Industrial platform SPRINGO - 6+1
Code: 203596

Specifications — SPRINGO

Model				*				
Industrial platform SPRINGO - 3+1	3+1	2,10 m	1,00 m	3,0 m	0,79 m	1,36 m	51,2 kg	80x166x65 cm
Industrial platform SPRINGO - 4+1	4+1	2,35 m	1,25 m	3,2 m	0,81 m	1,54 m	57,0 kg	84x197x65 cm
Industrial platform SPRINGO - 5+1	5+1	2,60 m	1,50 m	3,5 m	0,85 m	1,72 m	62,2 kg	85x226x65 cm
Industrial platform SPRINGO - 6+1	6+1	2,85 m	1,75 m	3,7 m	0,87 m	1,90 m	67,2 kg	85x260x65 cm

Steps | Total height | Platform height | Working height* | Platform width | Platform depth | Weight | Size (W×L×H)

Max. load: 150 kg

* The average safe height reached together with the user.